

DIN/ISO- AND STANDARD PARTS

標準緊固件手冊

OVIB 041



DIN/ISO- AND STANDARD PARTS

標準緊固件手冊

版權(著作權)聲明 本公司保留一切法律權利

DIN 1 ISO 2339

Taper pins
圓錐梢



鋼質、表面未處理 (form A)	0249 0...
鋼質、表面未處理 (form B)	0249 ...
A1 (form B)	0267 5...
A4 (form B)	0270 1...

DIN 7 ISO 2338

Parallel pins
圓柱梢



鋼質、表面未處理 m6	0252 ...
鋼質、表面未處理 H11	0252 7...
鋼質、表面未處理 H8	0252 9...

DIN 84 ISO 1207

Cheese head screws
一字槽平頂錐頭螺絲



黃銅、表面未處理	0001 ...
黃銅、鍍鎳	0017 ...
鋼質、4.8、表面未處理	0040 0...
鋼質、4.8、鍍藍鋅	0040 ...
鋼質、8.8、表面未處理	0040 4...
鋼質、8.8、鍍藍鋅	0040 5...
鋼質、5.8、表面未處理	0040 71..
鋼質、5.8、鍍藍鋅	0040 74..
鋼質、4.8、鍍黃鋅	0040 7...
鋼質、4.8、鍍鎳	0040 9...
尼龍、6.6	0278 ...
A2	0287 ...
A4	0289 ...

DIN 85 ISO 1580


Pan head screws
一字槽盤頭螺絲



黃銅、表面未處理	0001 2...
黃銅、鍍鎳	0001 3...
鋼質、4.8、表面未處理	0041 0...
鋼質、4.8、鍍藍鋅	0041 ...
鋼質、4.8、鍍黃鋅	0041 7...
鋼質、4.8、鍍鎳	0041 9...
尼龍、6.6	0278 9...
A2	0271...
A4	0285 ...

DIN 93


Tab washers
止動墊圈



鋼質、表面未處理	0427 9...
鋼質、鍍藍鋅	0427 99...
A2	0409 916 ...
A4	0412 910 ...

DIN 94 ISO 1234

Split cotter pins
環首螺絲



鋼質、鍍黃鋅	0470 0...
鋼質、鍍藍鋅	0470 ...
鋼質、表面未處理	0470 9...
黃銅、表面未處理	4418 ...
A2	0474 ...
A4	0483 ...

DIN 95

Raised countersunk head wood screws
一字槽扁圓頂沉頭木螺絲



黃銅、表面未處理	0140 ...
黃銅、鍍鎳	0143 ...
黃銅、鍍鋅	0146 ...

DIN 96

Round head wood screws
一字槽圓頭木螺絲



鋼質、鍍藍鋅	0156 ...
A2	0193 00...

DIN 97


Countersunk head wood screws
一字槽平頂沉頭木螺絲



鋼質、鍍藍鋅	0157 ...
A2	0193 01...

DIN 125 ISO 7089/7090

Washers
平墊圈



黃銅、表面未處理 (form B)	0400 000...
黃銅、表面未處理 (form A)	0400 ...
鋁質、表面未處理	0403 ...
鋼質、表面未處理300HV (A)	0405 010 0...
鋼質、表面未處理140HV (A)	0405 ...
鋼質、表面未處理140HV (B)	0405 99...
鋼質、黑色氧化 140 HV (form B)	0407 902...
鋼質、黑色氧化 140 HV (form A)	0407 903...
鋼質、熱浸鍍鋅140 HV (form A/B)	0407 000...
鋼質、鍍黃鋅 140 HV (form A/B)	0407 0...
鋼質、鍍黃鋅 140 HV (form A/B)	0407 111...
鋼質、鍍藍鋅 300 HV (form A)	0407 2000...
鋼質、鍍藍鋅 300 HV (form B)	0407 3000...
鋼質、無鉻技術 Geomet® 321A/VL 140 HV (F.A)	4628 405...
鋼質、無鉻技術 Geomet® 321A/VL 200 HV (F.A)	4628 406...
鋼質、無鉻技術 Geomet® 321A/VL 300 HV (F.A)	4628 407...
A2 (form B)	0409 00...
A2 (form A)	0409 ...
A4 (form A)	0412 ...
A4 (form B)	0412 900...
鋼質、表面未處理 (form A)	0412 000 0...
尼龍 6.6	0412 00...

DIN 126

Washers

墊圈



鋼質、表面未處理	4601...
鋼質、鍍藍鋅	4602...
鋼質、鍍黃鋅	4603/4604...
鋼質、黑色	
鍍鋅	4605...
鋼質、黑色氧化	4606...

DIN 127


Spring lock washers,
with tang ends
標準型彈簧墊圈



鋼質、表面未處理 (form B)	0440...
鋼質、表面未處理 (form A)	0441 900...
鋼質、鍍黃鋅 (form B)	0441 00...
鋼質、鍍黃鋅 (form A)	0441 90...
鋼質、鍍藍鋅 (form A)	0441 9...
鋼質、鍍藍鋅 (form B)	0441...
A2 (form A)	0447 0...
A2 (form B)	0447...
A4 (form B)	0445...

DIN 128


Curved or wave
spring lock washers
鞍型彈簧墊圈



鋼質、鍍黃鋅 (form A)	0441 80...
鋼質、表面未處理 (form A)	0441 800...
鋼質、鍍藍鋅 (form A)	0441 8...
鋼質、鍍藍鋅 (form B)	0441...
A4 (form A)	0445 00...
A2 (form A)	0447 900...

DIN 134


Washers
墊圈



鋼質、鍍藍鋅 140HV	4631 1...
鋼質、鍍黃鋅 140HV	4631 0...

DIN 137

Curved spring
washers
彈簧止動墊圈



鋼質、表面未處理 (form A)	0434 000...
鋼質、表面未處理 (form B)	0435 000...
鋼質、鍍黃鋅 (form A)	0434 0...
鋼質、鍍黃鋅 (form B)	0434 0...
鋼質、鍍藍鋅 (form A)	0434...
鋼質、鍍藍鋅 (form B)	0435...
A2 (form A)	0409 900...
A2 (form B)	0409 90...

DIN 186


Thread bolts
with square neck
T型方頸螺栓



A2	0272 0...
A4	0277 0...

DIN 314

Wing nuts American form
美式碟型螺帽



鋼質、鍍藍鋅	0342 ...
A2	0344 0...

DIN 315


Wing nuts German form
德式碟型螺帽



鋼質、鍍黃鋅	0342 00...
鋼質、鍍藍鋅	0342 0...
A2	0344 00...
A4	0340 04...

DIN 316


Wing screws
German form
德式碟型螺絲



鋼質、鍍黃鋅	0237 0...
鋼質、鍍藍鋅	0237 ...
展性鑄鐵、鍍藍鋅	0237 75...
A2	0272 81...

According to DIN 316

Wing screws American form
美式碟型螺絲




鋼質、鍍藍鋅	
US 4.8	0237 90...
A2	0237 82...
A4	0277 94...

DIN 427

ISO 2342


Slotted headless screws
with chamfered end
開槽倒角端緊定螺釘



鋼質、表面未處理 14H	0253 10...
鋼質、鍍藍鋅 14H	0253 11...
A2	0272 00...
A4	0277 00...

DIN 431


Pipe nuts with thread
according to
DIN ISO 228 part 1
薄型螺帽 (英制)
依據DIN ISO 228 part 1



A2	0328 0...
A4	0334 0...

DIN 432

Washers with
external tab
外舌止動墊圈




鋼質、表面未處理	0433 0...
鋼質、鍍藍鋅	0433 00...
A2	0409 917...
A4	0412 01...

DIN 433

ISO 7092


Washers for cheese
head screws
小墊圈 (用於圓柱頭螺絲)



黃銅、鍍銀	0400 9...
鋼質、表面未處理 140HV	0414 00...
鋼質、鍍藍鋅 140HV	0414 ...
鋼質、鍍黃鋅 140HV	0414 0...
銅、表面未處理	0414 7...
A2 140HV	0415...
A4 140HV	0412 90...

DIN 434


Square taper washers
for U-sections
工字鋼用方斜墊片(U型)



鋼質、表面未處理	0450 000...
鋼質、熱浸鍍鋅	0450 ...
鋼質、鍍黃鋅	0450 0...
鋼質、鍍藍鋅	0450 ...
A2	0409 920...

DIN 435

Square taper washers
for I-sections
工字鋼用方斜墊片(L型)



鋼質、鍍藍鋅	0452...
鋼質、鍍黃鋅	0452 000...
A4	0412 96...

DIN 436


Square washers
for wood constructions
木螺絲專用四方墊片



鋼質、鍍藍鋅	0453 11...
鋼質、表面未處理	0453 1...
A2	0409 905 ...
A4	0412 901 ...

DIN 439 ISO 4035/4036


Hexagon thin nuts
六角薄螺帽



黃銅、表面未處理	0301...
鋼質、表面未處理	04 0311...
鋼質、鍍黃鋅	04 0318 0...
鋼質、鍍藍鋅	04 0318...
鋼質、鍍藍鋅 5 μm	0318 501...
鋼質、鍍藍鋅 8 μm	0318 80...
A2	0328...
A4	0334...

DIN 440 ISO 7094

Round washers for
wood constructions
木螺釘用墊圈



鋼質、表面未處理 (form R)	0454...
鋼質、鍍藍鋅 (form V)	0459 00...
鋼質、鍍藍鋅 (form R)	0459...
鋼質、鍍黃鋅 (form R)	0459 9...
鋼質、熱浸鍍鋅 (form V)	0459 000...
鋼質、熱浸鍍鋅 (form R)	0459 0...
A2 (form R)	0409 906...
A4 (form R)	0412 902...
A4 (form V)	0412 903...

DIN 443


Push-in sealing cups
推入式密封蓋



鋼質、鍍黃鋅 (form A)	0476 00...
鋼質、鍍黃鋅 (form B)	0476 77/9
鋼質、鍍藍鋅 (form A)	0476 0...
鋼質、鍍藍鋅 (form B)	0476 77...
鋼質、表面未處理 (form A)	0476...
鋼質、表面未處理 (form B)	0476 7...

DIN 444


Eye bolts
活節(環首)螺栓



鋼質、4.6、鍍藍鋅 (form B)	0236 0...
鋼質、4.6、表面未處理 (form LB)	0236 6...
鋼質、4.6、表面未處理 (form B)	0236 7...
鋼質、4.6、鍍黃鋅 (form B)	0236 9...
A2 (form B)	0101...
A4 (form B)	0058...

DIN 462


Internal
tab washers
止動墊圈



鋼質、表面未處理	0437 000...
鋼質、黑色氧化	0437 1...
鋼質、鍍黃鋅	0437 00...
A2	0409 918...
A4	0412 02...

DIN 463


Tab washers with
long and short tab
雙耳止動墊圈



鋼質、表面未處理	0427 0...
鋼質、鍍藍鋅	0427 00...
鋼質、鍍黃鋅	0427 000...
A2	0409 919...
A4	0412 00...

DIN 464


Knurled thumb screws,
high type
有領滾紋高螺帽



鋼質、5.8、表面未處理	0224 0...
鋼質、5.8、鍍藍鋅	0224 1...
鋼質、鍍黃鋅	0224 3...
A2	0101 6...

DIN 465

slotted knurled
thumb screws
開槽滾花高頭螺釘



A2	0101 8...
----	-----------

DIN 466

Knurled thumb nuts,
high type
有領滾紋高螺帽



鋼質、表面未處理 5 μm	0312...
鋼質、鍍藍鋅 5 μm	0312 1...
鋼質、鍍黃鋅 5 μm	0312 0...
A2	0387 0...

DIN 467


Knurled thumb nuts,
flat type
滾紋薄螺帽



鋼質、表面未處理 5 μm	0312 3...
鋼質、鍍藍鋅 5 μm	0312 2...
A2	0387...

DIN 470


Sealing washers
密封墊圈



鋼質、表面未處理	0471 0...
鋼質、鍍藍鋅	0471 00...
鋼質、鍍黃鋅	0471 000...

DIN 471

Retaining rings for shafts
軸用彈性擋圈(外)



鋼質、表面未處理 (form A)	0438...
鋼質、無鉻鋅鋁塗層Delta Seal (form A)	0438 10...
不鏽鋼 1.4122	0489 01...

DIN 472


Retaining rings for bores
孔用彈性擋圈(內)



鋼質、表面未處理 (form A)	0439...
鋼質、無鉻鋅鋁塗層Delta Seal (form A)	0439 10...
不鏽鋼 1.4122	0489 02...

DIN 478


Square head bolts
with collar
方頭帶墊螺柱



鋼質、5.8、表面未處理	4105 8...
鋼質、8.8、表面未處理	4106 8...
鋼質、8.8、鍍藍鋅	4106 1...

DIN 479

Square head bolts
with short dog point
方頭短圓柱端緊定螺釘



鋼質、5.6、表面未處理	4101 8...
鋼質、5.8、鍍藍鋅	4102 1...
鋼質、8.8、鍍藍鋅	4103 1...
鋼質、8.8、表面未處理	4103 8...

DIN 508


T-slotted nuts
T型螺帽



鋼質、8、表面未處理	4460...
鋼質、8、鍍藍鋅	4461...
鋼質、8、黑色氧化	4462...

DIN 546


Slotted round nuts
割溝圓螺帽



鋼質、表面未處理	0337 011...
鋼質、鍍藍鋅	0337 012...
鋼質、鍍黃鋅	0337 011 0...
A2	0344 300...
A4	0340 390...

DIN 551 ISO 4766


Slotted set screws
with chamfered ends
一字割溝止付螺絲
平尾、導角



鋼質、表面未處理 14H	0253 30...
鋼質、鍍藍鋅 14H	0253 31...
鋼質、鍍黃鋅 14H A1	0253 32...
A1	0261 0...
A4	0221 0...

DIN 553 ISO 7434


Slotted set screws
with cone point
一字割溝止付螺絲錐尾



鋼質、表面未處理 14H	0253 40...
鋼質、鍍藍鋅 14H	0253 41...
鋼質、鍍黃鋅 14H	0253 42...
A1	0261 9...
A4	0221 9...

DIN 555
ISO 4034


Hexagon nuts
六角螺母



鋼質、鍍藍鋅 5 μm	0337 023...
-------------	-------------

DIN 557


Square nuts
(product class C)
方形螺母
(product class C)



鋼質、表面未處理 5 μm	0337 000 0...
鋼質、鍍藍鋅 5 μm	0337 000 1...
鋼質、鍍黃鋅 5 μm	0337 000 2...
A2	0344 400...
A4	0340 09...

DIN 558
ISO 4018


Hexagon head
screws (engineering)
全螺紋六角頭螺絲(粗製)



鋼質、4.6、表面未處理	0081 0...
鋼質、4.6、鍍藍鋅	0081...

DIN 561

Hexagon head
screws with small hexagon
and dog point
六角小頭止付螺絲全牙長柱型



鋼質、8.8、表面未處理	4107 8...
鋼質、8.8、鍍藍鋅	4107 1...
鋼質、8.8、鍍黃鋅	4107 0...

DIN 562


Square nuts flat form
薄型四角螺帽



鋼質、表面未處理 04	0337 001...
鋼質、鍍藍鋅	0337 002...
鋼質、鍍黃鋅	0337 003...
A2	0344 402...
A4	0340 001...

DIN 564


Hexagon head screws with
half dog point
六角短圓柱端緊定螺釘



鋼質、8.8、表面未處理	4111 8...
鋼質、8.8、鍍藍鋅	4111 1...
鋼質、8.8、鍍黃鋅	4111 0...

DIN 571


Hexagon head
wood screws
六角半牙木螺絲



鋼質、鍍藍鋅	0192 ...
鋼質、鍍黃鋅	0160 4...
A2	0193 ...
A4	0191 0...

DIN 580
ISO 3266

Lifting eye bolts
吊環螺絲



鋼質、表面未處理 C15E	0295 90...
鋼質、鍍藍鋅 C15E	0295 9...
鋼質、鍍黃鋅 C15E	0295 999...
A2	0279...
A4	0280...

DIN 582


Lifting eye nuts
環首螺帽



鋼質、表面未處理 C15E	0395 90...
鋼質、鍍藍鋅 C15E	0395 9...
鋼質、鍍黃鋅 C15E	0395 999...
A2	0388...
A4	0389...

DIN 601
ISO 4016


Hexagon head bolts
with nuts
六角頭螺絲(粗製)



鋼質、4.6、表面未處理	0077...
鋼質、鍍藍鋅 4.6	0078...
鋼質、鍍藍鋅 4.6 (ISO)	0078 91...

DIN 603 ISO 8677

Mushroom head
square neck bolts
薑型頭方頸螺栓(馬車螺栓)



附螺母	
鋼質、4.8、表面未處理	0223 0...
鋼質、4.8、鍍藍鋅	0223...
無附螺母	
鋼質、4.8、鍍藍鋅	0223 7...
鋼質、8.8、鍍藍鋅	0223 9...
A2	0226...
A4	0076...
類似DIN 603 鋼質、4.8、鍍藍鋅	0223 998 ...

DIN 604 ISO 8677


Knurled thumb
nuts flat form
平頭卡榫螺帽
有鍵與六角螺帽



鋼質、4.6、表面未處理	4350 8...
鋼質、4.6、鍍藍鋅	4350 1...
鋼質、8.8、表面未處理	4351 8...
鋼質、8.8、鍍藍鋅	4351 1...

DIN 608


Flat countersunk
square neck bolts with nuts
平頂埋頭
方頸螺栓(短方頸)



鋼質、8.8、表面未處理	0228...
--------------	---------

DIN 660


Round head rivets
圓頭鉚釘



鋼質、表面未處理	0922 30...
鋼質、鍍藍鋅	0922 31...
鋼質、鍍黃鋅	0922 32...
黃銅、表面未處理	0922 330...
鋼、表面未處理	0922 34...
鋁、表面未處理	0922 35...
A2	0919 00...
A4	0923 0...

DIN 661


Countersunk head rivets
埋頭鉚釘



鋼質、表面未處理	0922 400...
鋼質、鍍藍鋅	0922 410...
鋁、表面未處理	0922 430...
銅、表面未處理	0922 440...
黃銅、表面未處理	0922 450...
A2	0919 01...
A4	0923 07...

DIN 705


Adjusting rings with
set screws DIN 553
側面帶孔圓螺母 DIN 553



鋼質、表面未處理 (form A)	0425 7...
鋼質、表面未處理 (form B)	0425 70...
鋼質、鍍藍鋅 (form A)	0425 8...
A2 (form A)	0447 9...
with DIN 916	4629 100...
鋼質、鍍藍鋅 (form A)	
鋼質、表面未處理 (form A)	4629 800...

DIN 741


Wire rope clips
鋼絲繩鎖扣環



鋼質、鍍藍鋅	0520...
--------	---------

DIN 835


Studs
雙頭牙螺絲



鋼質、5.8、表面未處理	4241...
鋼質、5.8、鍍藍鋅	4242...
鋼質、5.8、鍍黃鋅	4243...
鋼質、8.8、表面未處理	4244...
鋼質、8.8、鍍藍鋅	4245...
鋼質、8.8、鍍黃鋅	4246...
鋼質、10.9、表面未處理	4247...

DIN 906

Hexagon socket
pipe plugs
內六角管塞



公制螺紋	
鋼質、表面未處理	0241 75...
鋼質、鍍藍鋅	0241 7...
鋼質、鍍黃鋅	0241 70...
A4	0251 01...
英制螺紋	
鋼質、表面未處理	0241 740 00...
鋼質、鍍藍鋅	0241 870 0...
鋼質、鍍黃鋅	0241 870...
A4	0251 00...

DIN 912

ISO 4760


Hexagon socket
head cap screws
內六角螺柱



鋼質、表面未處理 8.8	0082...
鋼質、表面未處理 全牙8.8	0082 9...
鋼質、鍍藍鋅 8.8	0084...
鋼質、鍍黃鋅 8.8	0084 0...
鋼質、Geomet® 321A+VL 8.8	4109 4...
鋼質、Geomet® 320A 8.8	4133 2...
鋼質、Geomet® 500A 8.8	4133 3...
鋼質、表面未處理 10.9	0080 ...
鋼質、鍍藍鋅 10.9	0108 ...
鋼質、鍍黃鋅 10.9	0108 0/9...
鋼質、Geomet® 321A+VL 10.9	4134 4...
鋼質、Geomet® 500A 10.9	4111 5...
鋼質、Dacromet® 500A 10.9	4134 3...
鋼質、表面未處理 12.9	0083 ...
鋼質、Geomet® 321A+VL 12.9	4135 4...
鋼質、Dacromet® 320A 12.9	4135 2...
鋼質、Dacromet® 500A 12.9	4135 3...
A2-70	0094...
A2-80	0094 0...
A2 全牙	0094 9...
A4-70	0097...
A4-80	0097 0...

DIN 908


Hexagon socket
screws plugs with
collar
內六角螺



公制螺紋	
鋼質、表面未處理	0241 85...
鋼質、鍍藍鋅	0241 8...
鋼質、鍍黃鋅	0241 80...
A4	0251 03...
英制螺紋	
鋼質、表面未處理	0241 761 0...
鋼質、鍍藍鋅	0241 76 ...
鋼質、鍍黃鋅	0241 760...
A4	0251 02...

DIN 910

Hexagon head
screws plugs with
collar
六角頭管塞




公制螺紋	
鋼質、表面未處理	0241 00...
鋼質、鍍藍鋅	0241...
鋼質、鍍黃鋅	0241 0...
A4	0251 05...
英制螺紋	
鋼質、表面未處理	0241 500...
鋼質、鍍藍鋅	0241 5 ...
鋼質、鍍黃鋅	0241 50...
A4	0251 04...

DIN 913

ISO 4026

Hexagon socket set
screws with flat point
內六角平端固定螺絲
硬度450HV




鋼質、表面未處理 45H	0255...
鋼質、鍍藍鋅 45H	0255 0...
鋼質、鍍黃鋅 45H	0255 6/7...
A1	0261 ...
A4	0221 ...

DIN 914

ISO 4027


Hexagon socket set
screws with cone point
內六角錐形端固定螺絲
硬度450HV



鋼質、表面未處理 45H	0256...
鋼質、鍍藍鋅 45H	0256 0...
鋼質、鍍黃鋅 45H	0256 7...
A1	0262 ...
A4	0269 ...

DIN 915 ISO 4028


Hexagon socket set screws with dog point
內六角長柱端固定螺絲
硬度450HV



鋼質、表面未處理 450HV	0257...
鋼質、鍍藍鋅 450HV	0257 0...
鋼質、鍍黃鋅 450HV	0257 7...
A1	0222 ...
A4	0266 ...

DIN 916 ISO 4029


Hexagon socket set screws with cup point
內六角杯型端固定螺絲
硬度450HV



鋼質、表面未處理 45HV	0254...
鋼質、鍍藍鋅 45HV	0254 0...
鋼質、鍍黃鋅 45HV	0254 7...
A1	0244 ...
A4	0269 9 ...

DIN 917

Hexagon cap nuts flat form
六角蓋頭薄螺帽



鋼質、6、表面未處理	0357 0...
鋼質、鍍藍鋅	6 0357...
鋼質、鍍黃鋅	6 0357 00...
A2	0363 ...
A4	0349 01 ...
鋼質、5.8、表面未處理	0259 1...

DIN 920


slotted cheese head screws small form
六角蓋頭薄螺帽



鋼質、5.8、表面未處理	0259 19...
--------------	------------

DIN 921

slotted cheese head screws large form
盤頭一字割溝螺絲



鋼質、5.8、表面未處理	0259 2...
鋼質、5.8、鍍藍鋅	0259 29...

DIN 923


slotted cheese head screws with socket
開槽平頭螺絲



鋼質、5.8、表面未處理	0259 40...
鋼質、5.8、鍍藍鋅	0259 49...

DIN 927


slotted pivot pin with thread
開槽銷附螺紋



鋼質、表面未處理 14H	4012 8...
A1	4014...

DIN 928


Square weld nuts
方型熔接螺帽



鋼質、表面未處理	0385 0...
A2	0306 00...
A4	0304 000...

DIN 929


Hexagon weld nuts
六角熔接螺帽



鋼質、表面未處理	0399...
鋼質、鍍藍鋅	0399 0...
A2	0306...
A4	0304...

DIN 931 ISO 4014


Hexagon head bolts
六角頭螺栓



鋼質、鍍藍鋅 5.6	0065...
鋼質、鍍藍鋅 5.6 ADW 7	0065 9...
鋼質、表面未處理 8.8	0051...
鋼質、鍍藍鋅 8.8	0053...
鋼質、鍍黃鋅 8.8	0053 0...
鋼質、熱浸鍍鋅 8.8	0059 6...
鋼質、Dacromet® 320A 8.8	4127 2...
鋼質、Dacromet® 500A 8.8	4127 3...
鋼質、Geomel® 321A+VL 8.8	4127 4...
鋼質、表面未處理 10.9	0052...
鋼質、鍍藍鋅 10.9	0105 0...
鋼質、鍍黃鋅 10.9	0105...
鋼質、Dacromet® 320A 10.9	4128 2...
鋼質、Dacromet® 500A 10.9	4128 3...
鋼質、Geomel® 321A+VL 10.9	4128 4...
鋼質、表面未處理 12.9	0054...
鋼質、Dacromet® 500A 12.9	4129 3...
A2-70	0095...
A2-70 ADW 2	0093 0...
A2-80	0095 0...
A4-70	0090...
A4-70 ADW 2	0092 0...

DIN 933 ISO 4017

Hexagon screws
全螺紋六角頭螺栓




黃銅	0001 80...
黃銅、鍍鎳	0001 90...
尼龍 6.6	0278 03...
鋼質、表面未處理 8.8	0055...
鋼質、鍍藍鋅 8.8	0057...
鋼質、鍍黃鋅 8.8	0057 0...
鋼質、熱浸鍍鋅 8.8	0059 7...
鋼質、Dacromet® 320A 8.8	4130 2...
鋼質、Dacromet® 500A 8.8	4130 3...
鋼質、Geomel® 321A+VL 8.8	4130 4...
鋼質、表面未處理 10.9	0056...
鋼質、鍍藍鋅 10.9	0107 0...
鋼質、鍍黃鋅 10.9	0107...
鋼質、Dacromet® 320A 10.9	4131 2...
鋼質、Dacromet® 500A 10.9	4131 3...
鋼質、Geomel® 321A+VL 10.9	4131 4...
鋼質、表面未處理 12.9	0061...
鋼質、Dacromet® 320A 12.9	4132 2...
鋼質、Dacromet® 500A 12.9	4132 3...
鋼質、Geomel® 321A+VL 12.9	4132 4...
A2-70	0096...
A2-80	0096 0...
A2 ADW 2	0093 1...
A4-70	0091...
A4 ADW 2	0092 1...
A4-80	0091 0...

版權(著作權)聲明 本公司

DIN 934 ISO 4032


Hexagon nuts
六角螺帽
- 公制粗牙、細牙螺紋



黃銅	0300...
黃銅、鍍銀	0307...
尼龍 6.6	0323...
鋼質、表面未處理 5-2	0065 800...
鋼質、鍍藍鋅 5-2	0065 01...
鋼質、表面未處理 8	0310..
鋼質、鍍藍鋅 8	0317...
鋼質、鍍黃鋅 8	0317 0...
鋼質、熱浸鍍鋅 8	0317 000...
鋼質、Dacromet® 320A 8	4524 2...
鋼質、表面未處理 10	0320...
鋼質、鍍藍鋅 10	0324 0..
鋼質、鍍黃鋅 10	0324 00...
鋼質、Geomet® 321A+VL 10	0102 1...
鋼質、鍍銀 10	0263 0...
A2	0322
A2 ADW 2	0322 999 9...
A4	0326...
A4 ADW 2	0326 999 9...

DIN 935 ISO 7035


Hexagon slotted
and castle nuts
六角有槽螺帽/堡型螺帽
- 公制粗牙、細牙螺紋



鋼質、8、表面未處理	0345 0...
鋼質、6、表面未處理	0345 1...
鋼質、8、鍍藍鋅	0345 ...
鋼質、8、鍍黃鋅	0345 00...
鋼質、10、表面未處理	0345 2...
鋼質、10、鍍藍鋅	0345 22...
A2	0339...
A4	0340...

DIN 936 ISO 4035


Hexagon nuts
flat form
六角薄螺帽



鋼質、表面未處理 04	0319 73...
鋼質、鍍藍鋅 04	0319...
鋼質、鍍黃鋅 04	0319 01...
鋼質、6、表面未處理	0319 76...
鋼質、表面未處理 17H	0319 7...
鋼質、鍍藍鋅 17H	0319...
鋼質、鍍黃鋅 17H	0319 0...
鋼質、鍍藍鋅 22H	0319 80...
鋼質、鍍黃鋅 22H	0319 81...

DIN 937 ISO 7038

Hexagon slotted
and castle nuts flat form
六角鎖緊螺母



鋼質、鍍藍鋅 17H	0345 66...
鋼質、鍍黃鋅 17H	0345 666...
鋼質、表面未處理 22H	0345 7/8...
鋼質、鍍藍鋅 22H	0345 77...
鋼質、鍍黃鋅 22H	0345 88...
A2	0339 0...
A4	0340 00...

DIN 938


Studs
雙頭牙螺



鋼質、8.8、表面未處理	0258 3...
鋼質、8.8、鍍藍鋅	0258 4...
鋼質、8.8、鍍黃鋅	0258 5...
鋼質、10.9、表面未處理	0258 6...
鋼質、10.9、鍍藍鋅	0258 7...
鋼質、10.9、鍍黃鋅	0258 8...
A2	0272 9...
A4	0277 9...

DIN 939

Studs
旋入端~1.25d螺椿




鋼質、5.8、表面未處理	0250...
鋼質、5.8、鍍藍鋅	0250 6...
鋼質、5.8、鍍黃鋅	0250 5/7...
鋼質、8.8、表面未處理	0250 8...
鋼質、8.8、鍍藍鋅	0250 0...
鋼質、8.8、鍍黃鋅	0250 9...
鋼質、10.9、表面未處理	0250 1...
鋼質、10.9、鍍藍鋅	0250 2...
鋼質、10.9、鍍黃鋅	0250 3/4...
A2	0272...
A4	0277...

DIN 960

ISO 8765

Hexagon
thin head bolts with thread
細牙六角頭螺栓




鋼質、8.8、表面未處理	0063 5...
鋼質、8.8、鍍藍鋅	0063 6...
鋼質、8.8、鍍黃鋅	0063 3/7...
鋼質、10.9、表面未處理	0063 0...
鋼質、10.9、鍍藍鋅	0063 4...
鋼質、10.9、鍍黃鋅	0063 /9...
鋼質、鍍鍍 10.9	

DIN 961

ISO 8676

Hexagon
thin head bolts
M8x1到M52x3
細牙六角頭螺栓



鋼質、8.8、表面未處理	0067 2...
鋼質、8.8、鍍藍鋅	0067 3...
鋼質、8.8、鍍黃鋅	0067 5...
鋼質、10.9、表面未處理	0067 6...
鋼質、10.9、鍍藍鋅	0067 4...
鋼質、10.9、鍍黃鋅	0067...
鋼質、鍍鍍 10.9	

DIN 963

ISO 2009

Slotted countersunk
head screws
一字槽平頂埋頭螺絲



黃銅、表面未處理	0000...
黃銅、鍍鍍	0000 9...
鋼質、4.8、表面未處理	0039 0...
鋼質、4.8、鍍藍鋅	0039...
鋼質、4.8、鍍黃鋅	0039 7...
鋼質、4.8、鍍鍍	0039 1...
鋼質、8.8、表面未處理	0039 01...
鋼質、8.8、鍍藍鋅	0039 9...
A2	0286...
A4	0288...

DIN 964

ISO 2010

Slotted raised countersunk
(oval) head screws
一字槽扁圓頂埋頭螺絲



黃銅、表面未處理	0021 0...
黃銅、鍍鍍	0021...
鋼質、4.8、表面未處理	0044 3...
鋼質、4.8、鍍藍鋅	0044...
鋼質、4.8、鍍黃鋅	0044 00...
鋼質、4.8、鍍鍍	0044 4...
鍍鍍鋼 4.8	0044 2...
鋼質、鍍黃銅 4.8	0044 1...
A2	0290...
A4	0296...

DIN 965

ISO 7046

Countersunk
head screws
十字六角平頂埋頭螺絲



Phillips H型	
鋼質、表面未處理 4.8	0048 0...
鋼質、鍍藍鋅 4.8	0048...
鋼質、鍍黃鋅 4.8	0048 1...
鋼質、鍍鍍 4.8	0048 5...
鋼質、表面未處理 8.8	0048 600...
鋼質、鍍藍鋅 8.8	0048 610...
A2	0281...
A4	0298...
Pozidriv Z型	
鋼質、表面未處理 4.8	0048 11...
鋼質、鍍藍鋅 4.8	0048 4...
鋼質、鍍黃鋅 4.8	0048 3...
A2	0281 0...
A4	0298 01...

DIN 966 ISO 7047

Raised
countersunk head screws
十字六角扁圓頭螺絲



Phillips H型	
鋼質、4.8、表面未處理	0049 7...
鋼質、4.8、鍍藍鋅	0049...
鋼質、4.8、鍍黃鋅	0049 0...
鋼質、4.8、鍍鍍	0049 12...
鍍鎳鋼、4.8	0049 11...
A2	0282...
A4	0294...
Pozidriv Z型	
鋼質、4.8、表面未處理	0049 40...
鋼質、4.8、鍍藍鋅	0049 41...
A2	0282 9...

DIN 976 ISO 7047


Stud bolts
長重力圓柱插銷



黃銅、表面未處理 (form A)	0951...
黃銅、鍍鍍 (form A)	0951 19...
尼龍 6.6 (form A)	0952...
鋼質、4.8、表面未處理 (form A)	0950...
鋼質、4.8、鍍藍鋅 (form A)	0958...
鋼質、8.8、表面未處理 (form A)	0959 11...
鋼質、8.8、鍍藍鋅 (form A)	0959 00...
鋼質、鍍黃鎳 8.8 (form A)	0959 9...
鋼質、10.9、表面未處理 (form A)	0959 000...
A2 (form A)	0954...
A4 (form A)	0953...

DIN 979


Hexagon slotted
and castle nuts
六角開槽螺母



鋼質、表面未處理 05	0345 9...
鋼質、鍍藍鋅 05	0345 99...
鋼質、鍍黃鋅 05	0345 999...

DIN 980 ISO 7042


Prevailing torque type
self-locking nuts
全金屬預製
扭矩六角防鬆螺帽



鋼質、8、鍍藍鋅 (form V)	0369...
鋼質、8、鍍黃鋅 (form V)	0369 101...
鋼質、10、鍍黃鋅 (form V)	0369 00...
鋼質、8、鍍銅 (form V)	0369 10...
鋼質、Dacromet® 320A 8	4525 20...
鍍鋅鋼 110I (form V)	0263 00...
A2 鍍鋅	0380...
A4	0397 02...

DIN 981


Slotted nuts
割溝圓帽



鋼質、表面未處理 11H	0358 999 9...
鋼質、鍍藍鋅 17H	0385 999...

DIN 982 ISO 7040


Self-locking hexagon nuts
(nylon insert) domed type
六角防鬆螺帽
厚型，附尼龍圈



鋼質、鍍藍鋅 8	0371...
鋼質、鍍黃鋅 8	0371 78...
鋼質、鍍藍鋅 10	0371 781...
鋼質、鍍黃鋅 10	0371 71...
A2	0391 0...
A4	0397 0...

DIN 983

Retaining rings
with lugs for shafts
孔用擋圈—外凸耳型



鋼質、表面未處理 (form AK)	0438 3...
--------------------	-----------

DIN 984


Retaining rings
with lugs for bores
孔用擋圈—帶內凸耳型



鋼質、表面未處理 (form IK)	0439 3...
--------------------	-----------

DIN 985 ISO 10511


Prevailing torque
type nuts (nylon insert)
六角防鬆薄螺帽



鋼質、I8I、鍍藍鋅	0368 ...
鋼質、I8I、鍍黃鋅	0368 0...
鋼質、I8I、鍍藍鋅(UNC)	0375 ...
鋼質、I8I、鍍藍鋅(UNF)	0378 ...
鋼質、10、鍍藍鋅	0370 0...
鋼質、10、鍍黃鋅	0370 ...
A2	0391 ...
A4	0397 ...

DIN 986


Self-locking domed cap nuts
(synthetical insert)
自動防鬆突緣尼龍蓋帽
(合成鑲嵌)



鋼質、6、表面未處理	0357 701...
鋼質、6、鍍藍鋅	0357 702...
鋼質、6、鍍黃鋅	0 35 7 7 03/4...
鋼質、8、表面未處理	0357 711...
鋼質、8、鍍藍鋅	0357 712...
鋼質、8、鍍黃鋅	0357 713/714...
鋼質、10、鍍藍鋅	0357 901...
鋼質、10、鍍黃鋅	0357 903...
A2	0348 0...

DIN 988


Shim rings
配合墊片



調整墊圈	
鋼質、表面未處理	0425...
鋼質、鍍藍鋅	0425...6...
A2	0415 9...
支承墊圈	
鋼質、表面未處理	0425 000...
A2	0415 90...

DIN 1142

Wire rope clips
鋼絲繩索扣



鋼質、鍍黃鋅	0520 0...
--------	-----------

DIN 1254


Fitting
水管配件



彎頭	4995...
----	---------

DIN 1434


Clevis pins
with head (form B)
附孔銷 (form B)



鋼質、鍍藍鋅	0260 00...
--------	------------

DIN 1440 ISO 8738


Washers for clevis pins
平華司 銷用



鋼質、表面未處理	0496...
鋼質、鍍藍鋅	0496 000...
鋼質、鍍黃鋅	0496 0...
A2	0409 911...
A4	0412 905...

DIN 1441


Washers for clevis pins
平華司 銷用



鋼質、表面未處理	0496 9...
鋼質、鍍藍鋅	0496 90...
鋼質、鍍黃鋅	0496 900

DIN 1471 ISO 8744

Grooved pins,
full-length taper grooved
錐形槽銷




鋼質、表面未處理(ISO)	0248 50...
鋼質、鍍藍鋅 (ISO)	0248 51...
A1	0267 1...

DIN 1472

ISO 8745

Grooved pins,
half-length taper grooved
錐形槽銷
半長錐形槽



鋼質、表面未處理 (ISO)	0248 60...
鋼質、鍍藍鋅 (ISO)	0248 61...
鋼質、鍍黃鋅 (ISO)	0248 62...
A2	0267...

DIN 1473

ISO 8740

Grooved pins,
full-length parallel grooved,
with chamfer
槽銷
全長平行槽



鋼質、表面未處理 (ISO)	0248 10...
鋼質、鍍藍鋅 (ISO)	0248 11...
鋼質、鍍黃鋅 (ISO)	0248 12...
A2	0267 3...

DIN 1474

ISO 8741

Grooved pins, half-length
reverse-taper grooved
槽銷
半長反向錐形槽



鋼質、表面未處理 (ISO)	0248 20...
鋼質、鍍黃鋅 (ISO)	0248 22...
A2	0267 90...

DIN 1479


Hexagon turnbuckle
套筒螺帽



鋼質、鍍藍鋅	4 468...
--------	----------

DIN 1480


Turnbuckles
繫扣索具



螺旋扣	
鋼質、鍍藍鋅	0521 000...
雙頭鐵螺柱	
鋼質、表面未處理	0521 010...
鋼質、鍍藍鋅	0521 01...
環首	
鋼質、鍍藍鋅	0521 02...
扣眼扣件	
鋼質、鍍藍鋅	0521 03...

DIN 1587


Hexagon
domed cap nuts
六角蓋頭螺帽



黃銅、表面未處理	0350...
黃銅、鍍、鎳	0352...
鋼質、鍍藍鋅	0356...
鋼質、鍍黃鋅	0356 61...
A2	0348...
A4	0349...

DIN 1804

Slotted nuts
(thin metrical ISO thread)
割溝圓螺帽



鋼質、表面未處理	0385 9...
鋼質、鍍藍鋅	0385 90...

DIN 2093


Disc springs
盤形彈簧華司



鋼質、表面未處理	0436 ...
----------	----------

DIN 2097

Tension springs
張力彈簧



鋼質、表面未處理	0506 2...
----------	-----------

DIN 2982


Pipe double fittings
雙錐套管道接頭



鋼質、表面未處理	4982...
----------	---------

ISO 4014

Hexagon screws with shank
六角螺栓系列



鋼質、表面未處理 5.6	0065 8...
鋼質、鍍藍鋅 5.6	0065 9...
鋼質、表面未處理 6.8	4 120 1...
鋼質、表面未處理 8.8	0051 9...
鋼質、鍍藍鋅 8.8	0053 9...
鋼質、鍍黃鋅 8.8	0053 90...
鋼質、Geomel® 321A+ VL 8.8	4 136 4...
鋼質、表面未處理 10.9	0052 9...
鋼質、鍍藍鋅 10.9	0105 9...
鋼質、鍍黃鋅 10.9	0105 7...
鋼質、Geomel® 321A+ VL 10.9	4 137 4...
鋼質、表面未處理 12.9	0054 9...
A2-70	0095 9...
A4-70	0090 9...

ISO 4017


Hexagon screws
六角螺栓系列



鋼質、表面未處理 5.6	0065 7...
鋼質、鍍藍鋅 5.6	0065 0...
鋼質、鍍藍鋅 6.8	4 121 1...
鋼質、表面未處理 8.8	0055 9...
鋼質、鍍藍鋅 8.8	0057 9...
鋼質、鍍黃鋅 8.8	0057 90...
鋼質、321A+VL 8.8	4 139 4...
鋼質、表面未處理 10.9	0056 9...
鋼質、鍍藍鋅 10.9	0107 9...
鋼質、鍍黃鋅 10.9	0107 7...
鋼質、Geomel® 321A+VL 10.9	4 140 4...
A2-70	0096 9...
A4-70	0091 9...

ISO 4032


Hexagon nuts
六角螺帽系列



黃銅、表面未處理	0300 9...
黃銅、鍍銀	0307 9...
鋼質、表面未處理 5-2	0065 801 0...
鋼質、表面未處理 8	0310 9...
鋼質、鍍藍鋅 8	0317 9...
鋼質、鍍黃鋅 8	0317 8/0317 900
鋼質、鍍鋅 8	0317 99...
鋼質、表面未處理 10	0320 9...
鋼質、鍍藍鋅 10	0324 90...
鋼質、鍍黃鋅 10	0324 99...
A2-70	0322 9...
A4-70	0326 9...
ADW7、鋼質、鍍藍鋅 5-2	0065 901...

DIN 5299


Snap carabiner
彈簧鈎



鋼質、鍍藍鋅 (form C)	0524...
A2 (form C)	0524 0...

DIN 5406

Tab washer
帶耳止動墊圈



鋼質、表面未處理	0385 999 8...
----------	---------------

DIN 1151

Brad
曲頭釘



鋼質、表面未處理	0478 5...
鋼質、鍍藍鋅	0478 6...

DIN 5417

Round wire snap rings
軸用鋼絲擋圈



鋼質、表面未處理	0490 0...
----------	-----------

DIN 6319

Rounded washer - ball socket
球形華司



鋼質、表面未處理 (form C)	0436 9...
鋼質、鍍藍鋅 (form C)	0436 900...
鋼質、表面未處理 (form D)	0436 99...
鋼質、鍍藍鋅 (form D)	0436 990 0...
鋼質、表面未處理 (form G)	0436 99...
鋼質、鍍藍鋅 (form G)	0436 000...

DIN 6325

ISO 8734


Parallel pin, hardened
倒角圓柱梢



鋼質、表面未處理	0252 0...
----------	-----------

DIN 6330


Hexagon nuts, 1,5 d
六角厚螺母 1,5 d



鋼質、10、表面未處理	0369 9...
A2	0372 900...
A4	0349 901...

DIN 6331

Hexagon nuts,
1,5 d with collar
六角法蘭厚螺母 1,5 d



鋼質、10、表面未處理	0369 8...
鋼質、10、鍍藍鋅	0369 800...
A2	0372...
A4	0349 902...

DIN 6340


Washers for
clamping devices
夾具用精制平墊圈



鋼質、表面未處理	0495...
鋼質、鍍藍鋅	0495 0...

DIN 6796

Conical spring
washers
螺柱連接夾緊墊圈



鋼質、表面未處理	0413 3...
鋼質、機械鍍鋅	0413 1...
鋼質、機械鍍鋅	
鍍黃鋅	0413 2...
A2	0431 00...
A4	0432 00...

DIN 6797

Toothed lock washers
齒輪型鎖緊墊圈



外齒	
鋼質、表面未處理 (form V)	0423 00...
鋼質、鍍藍鋅 (form V)	0423 0...
鋼質、表面未處理 (form AZ)	0423 0...
鋼質、鍍藍鋅 (form AZ)	0423...
鋼質、鍍黃鋅 (form AZ)	0423 000...
A2 (form AZ)	0431 021...
內齒	
鋼質、表面未處理 (form JZ)	0424 0...
鋼質、鍍藍鋅 (form V)	
鋼質、表面未處理 (form AZ)	
鋼質、鍍藍鋅 (form JZ)	0424...
鋼質、鍍黃鋅 (form JZ)	0424 00...
A2 (form IZ)	0431 022...
A4	0432 00...
A4 (form IZ)	0432 1...

DIN 6798

Serrated lock washers
鋸齒鎖緊墊圈(內齒/外齒)



鋼質、鍍藍鋅	
內齒/外齒	0446 ...
外齒	
鋼質、表面未處理	0429 00...
鋼質、表面未處理 (form V)	0430 00...
鋼質、鍍藍鋅	0429 ...
鋼質、鍍藍鋅 (form V)	0430 ...
鋼質、鍍黃鋅	0429 0...
鋼質、鍍黃鋅 (form V)	0430 000 ...
A2	0431 2...
A2 (form V)	0431 3...
A4	0432 2...
內齒	
鋼質、鍍藍鋅	0428...
A2	0431 1...
A4	0432 1...

DIN 6799


Retaining washers for shafts
開口檔圈(花墊圈)



鋼質、表面未處理	0490 0...
鋼質、鍍藍鋅	0490 04...
鋼質、鍍黃鋅	0490 1...
magazined	
鋼質、表面未處理	0490 0...
鋼質、鍍藍鋅	0490 03...
鋼質、鍍黃鋅	0490 100...
不鏽鋼 1.4122	0431 01...

DIN 6885


Parallel keys
稜鍵(A型)



圓頂	
鋼質、表面未處理C45K(form A)	0410...
鋼質、表面未處理C45K(form AB)	0410 8...
鋼質、表面未處理C45K(form B)	0410 7...
鋼質、表面未處理C45K(form C)	0410 9...
鋼質、表面未處理C45K(form E)	0410 6...
A4 (form A)	0406...
平頂	
鋼質、表面未處理C45K(form A)	0426 0...
鋼質、表面未處理C45K(form B)	0426 1...
鋼質、表面未處理C45K(form AB)	0426 2...
鋼質、表面未處理C45K(form E)	0426 4...

DIN 6899


Steel thimbles for ropes
鋼繩套環



鋼質、鍍藍鋅 (form A)	0522...
鋼質、鍍藍鋅 (form B)	0522 0...

DIN 6912


Hexagon socket head cap screws
centre hole and low head
六角承窩頭螺釘
薄型帶扳手導向孔



鋼質、表面未處理 8.8	0088...
鋼質、鍍藍鋅 8.8	0086...
鋼質、鍍黃鋅 8.8	0086 0/7...
鋼質、表面未處理 10.9	0109...
鋼質、鍍藍鋅 10.9	0109 3...
鋼質、鍍黃鋅 10.9	0109 7...
A2-70	0098...
A4-70	0099...

DIN 6917


Square taper washers
for I - Sections
I 型工字鋼用方斜墊圈



鋼質、熱浸鍍鋅	0079 03...
---------	------------

DIN 6918

Square taper washers
for U - Sections
U型工字鋼用方斜墊圈



鋼質、熱浸鍍鋅	0079 04...
---------	------------

DIN 6921

Hexagon flange bolts
六角法蘭螺栓



鋼質、表面未處理 8.8	4125 8...
鋼質、鍍藍鋅 8.8	0273 9...
鋼質、鍍黃鋅 8.8	4125 0...
鋼質、表面未處理 10.9	4126 8...
鋼質、鍍藍鋅 10.9	4126 1...
A2-70	0101 0...

DIN 6923

ISO 4161

Hexagon flange nuts
凸緣螺帽



鋼質、表面未處理 8	0394 00...
鋼質、鍍藍鋅 8	0379 000 0...
鋼質、鍍黃鋅 8	0379 000...

DIN 6924

ISO 7040

Prevailing torque type nuts,
non-metallic insert
六角防鬆螺帽
厚型，附尼龍圈




鋼質、鍍藍鋅 8	0371 984...
鋼質、鍍黃鋅 8	0371 983...
鋼質、表面未處理 10	0371 911...
鋼質、鍍黃鋅 10	0371 91...

DIN 6925

ISO 7042

Prevailing torque type nuts,
all metal nuts
預置扭矩六角防鬆螺帽



ISO 7380

Button head
socket screws
內六角法蘭圓頭
平頂螺栓



鋼質、表面未處理 8	0369 781...
鋼質、鍍藍鋅 8	0369 784...
鋼質、鍍黃鋅 8	0369 782...
鋼質、鍍藍鋅 10	0369 711...
鋼質、鍍銅 10	0369 715...

鋼質、表面未處理 10.9	0060 02...
鋼質、鍍藍鋅 10.9	0060 01...
鋼質、表面未處理 TX 10.9	4211 8...
鋼質、鍍藍鋅 TX 10.9	4211 1...
A2-70	0098 01...
A4-70	0099 01...
A2-70 TX	4212...

DIN 7346

ISO 8749

Slotted spring-type
straight pins
槽型彈簧銷



鋼質、表面未處理	0475 90...
鋼質、表面未處理 (ISO)	0248 70...
鋼質、鍍藍鋅 (ISO)	0248 71...
鋼質、鍍黃鋅 (ISO)	0248 72/73...
A2	0267 60...

Similar ISO 7380

Button head
socket flange screws
內六角法蘭圓頭



鋼質、表面未處理 10.9	0060 03...
鋼質、鍍藍鋅 10.9	0060 00...
鋼質、表面未處理 TX 10.9	4213 8...
鋼質、鍍藍鋅 TX 10.9	4213 1...
鋼質、鍍黃鋅 10.9	0060 09...
鋼質、黑色氧化 10.9	0060 0...
A2-70	0098 02...
A2-70 TX	4214...

DIN 7349

Washers for bolt with
heavy type spring pins
重型夾緊套用墊圈



鋼質、表面未處理	0497...
鋼質、鍍藍鋅	0497 0...
鋼質、黑色氧化	0497 9...
鋼質、鍍黃鋅	0497 00...
A2	0409 915...
A4	0412 909...

ISO 7379

Hexagon socket head
shoulder screws
內六角穴等高螺絲



鋼質、表面未處理 F9 12.9	4118 8...
鋼質、表面未處理 H8 12.9	4119 8...

DIN 7500


Thread-rolling screws
GEFU-1
滾製螺釘
(尺寸、條件及檢驗)



鋼質、鍍藍鋅 (form CE) Z	0205 5...
鋼質、鍍藍鋅 (form ME) Z	0209 6...
鋼質、鍍藍鋅 (form CE) TX	0209 57...
鋼質、鍍藍鋅 (form ME) TX	0209 67...
鋼質、鍍黃鋅 (form CE) Z	0209 500...
Gefu 2	
鋼質、鍍藍鋅 (form CE) Z	0209 1...
鋼質、鍍藍鋅 (form ME) Z	0209 2...
鋼質、鍍藍鋅 (form CE) TX	0209 17...
鋼質、鍍藍鋅 (form ME) TX	0209 27...
鋼質、鍍藍鋅 輪緣	0209 3...
鋼質、鍍藍鋅 (form EE)	0209 4...
鋼質、鍍黃鋅 (form CE) Z	0209 100...
鋼質、鍍黃鋅 輪緣	0209 30...
鋼質、鍍黃鋅 (form EE)	0209 40...
螺紋型式	
鋼質、鍍藍鋅 (form CE) TX	4016 1...
鋼質、黑色鍍鉻 (form CE) TX	4016 7...
鋼質、鍍藍鋅 (form ME) Z	4017 1...
鋼質、黑色鍍鉻 (form ME) Z	4017 7...
鋼質、鍍藍鋅 (form ME) TX	4018 1...
鋼質、鍍藍鋅 輪緣	4019 1...
鋼質、鍍藍鋅 (form EE)	4020 1...
鋼質、鍍黃鋅 (form CE) Z	4015 0...
鋼質、黑色鍍鉻 (form CE) Z	4015 7...
鋼質、鍍黃鋅 (form CE) TX	4016 0...
鋼質、鍍黃鋅 (form ME) TX	4018 0...
鋼質、鍍黃鋅 輪緣	4019 0...
鋼質、鍍黃鋅 (form EE)	4020 0...

DIN 7604

screwed sealing plug
六角頭管塞



鋼質、表面未處理	0240 0...
鋼質、鍍藍鋅	0240 ...
鋼質、鍍黃鋅	0240 9...

DIN 7967

Self locking counter nuts
防鬆逆螺帽



鋼質、鍍藍鋅	0316...
鋼質、鍍黃鋅	0316 0...
A2	0305...
A4	0308...

DIN 7971

ISO 1481

Slotted pan
head tapping screws
盤頭一字割溝自攻螺絲



鋼質、鍍藍鋅 (form F)	0110 10...
鋼質、鍍黃鋅 (form F)	0110 11...
鋼質、鍍銀 (form F)	0110 14...
鋼質、鍍藍鋅 (form C)	0110...
鋼質、鍍黃鋅 (form C)	0110 01...
鋼質、鍍銀 (form C)	0110 04...
A2 (form C)	0120 1...

DIN 7972

ISO 1482

Slotted countersunk
head tapping screws
平頭一字割溝自攻螺絲



鋼質、鍍藍鋅 (form F)	0110 30...
鋼質、鍍藍鋅 (form C)	0110 20...
鋼質、鍍黃鋅 (form F)	0110 31...
A2 (form C)	0120 3...

DIN 7973

ISO 1483

Slotted raised countersunk
head tapping screws
一字割溝自攻螺絲
錐端C型



A2 (form C)	0120 2...
-------------	-----------

DIN 7976

ISO 1479

Hexagon head
tapping screws
六角頭自攻螺絲




鋼質、鍍藍鋅 (form F)	0114 10...
鋼質、鍍黃鋅 (form F)	0114 11...
鋼質、鍍藍鋅 (form C)	0114...
鋼質、鍍黃鋅 (form C)	0114 01...
A2 (form C)	0122...

similar DIN 7976

similar ISO 1479

Hexagon head tapping screws with washer
六角頭自攻螺和套華司



鋼質、鍍藍鋅 (form C)	0129 08...
-----------------	------------

DIN 7978

ISO 8736

Taper pins with internal thread
特殊圓錐梢



鋼質、表面未處理 (form A)	0247...
-------------------	---------

DIN 7979

ISO 8733/8735

Parallel pins with internal thread
特殊倒角圓柱梢



鋼質、表面未處理 (form C)	0247 7...
鋼質、表面未處理 (form D)	0247 0...

DIN 7980

Spring lock washers for screws with cylindrical head
圓柱頭螺柱用彈簧墊圈



鋼質、表面未處理	0443 0...
鋼質、鍍藍鋅	0443 ...
鋼質、鍍黃鋅	0443 000...
A2	0447 0...
A4	0445 90...

DIN 7981

ISO 7049

Pan head tapping screws
十字穴盤頭 自攻螺絲



十字槽 H	
鋼質、鍍藍鋅 (form F)	0115 10...
鋼質、鍍藍鋅 (form C)	0115...
鋼質、鍍黃鋅 (form C)	0115 01...
鋼質、鍍黃鋅 (form F)	0115 11...
鋼質、黑色 (form F)	0115 13...
鋼質、黑色 (form C)	0115 23...
鋼質、鍍鍍 (form C)	0115 04...
鋼質、鍍鍍 (form F)	0115 14...
A2 (form C)	0119...
A2 (form F)	0119 01...
A2 Geomet® (form C)	0119 8...
A4 (form C)	0127 1...
十字槽 Z	
鋼質、鍍藍鋅 (form F)	0115 30...
鋼質、鍍藍鋅 (form C)	0115 20...
鋼質、鍍黃鋅 (form C)	0115 21...
鋼質、鍍黃鋅 (form F)	0115 31...
鋼質、黑色 (form F)	0115 33...
鋼質、黑色 (form C)	0115 23...
A2 (form C)	0119 05...
A2 (form F)	0119 06...

DIN 7982

ISO 7050

Countersunk head tapping screws
十字穴平頂埋頭 自攻螺絲



十字槽 H	
鋼質、鍍藍鋅 (form C)	0116...
鋼質、鍍藍鋅 (form F)	0116 10...
鋼質、鍍黃鋅 (form C)	0116 0...
鋼質、黑色 (form C)	0116 03...
鋼質、鍍鍍 (form C)	0116 24...
A2 (form C)	0123...
A2 (form F)	0123 01...
A2 Geomet® (form C)	0123 8...
A4 (form C)	0127 2...
十字槽 Z	
鋼質、鍍藍鋅 (form C)	0116 20...
鋼質、鍍藍鋅 (form F)	0116 30...
鋼質、黑色 (form C)	0116 23...
鋼質、黑色 (form F)	0116 33...
A2 (form C)	0123 05...

DIN 7983

ISO 7051


Raised countersunk head tapping screws
十字穴扁圓頂埋頭自攻螺絲



十字槽 H		
鋼質、鍍藍鋅 (form C)	0117...	
鋼質、鍍藍鋅 (form F)	0117 10...	
鋼質、鍍黃鋅 (form C)	0117 0...	
鋼質、黑色 (form C)	0137...	
A2 (form F)	0124 01...	
A4 (form C)	0127 3...	
十字槽 Z		
鋼質、鍍藍鋅 (form C)	0117 20...	
鋼質、黑色 (form C)	0117 13...	
A2 (form C)	0124 05...	

DIN 7984

Hexagon socket head cap screws with low head
內六角螺絲(薄頭型)



鋼質、表面未處理 8.8	0085...
鋼質、鍍藍鋅 8.8	0085 0...
鋼質、鍍黃鋅 8.8	0085 6/9...
鋼質、鍍藍鋅 10.9	0085 5...
鋼質、鍍黃鋅 10.9	0085 8...
A2-70	0292...
A4-70	0297...

DIN 7985

ISO 7045

Slotted pan head screws
十字穴扁圓頂柱頭螺釘



十字槽 H		
鋼質、表面未處理 4.8	0046 0...	
鋼質、鍍藍鋅 4.8	0046...	
鋼質、鍍黃鋅 4.8	0046 10...	
鋼質、表面未處理 8.8	0046 000...	
鋼質、鍍藍鋅 8.8	0046 010...	
鋼質、鍍鉻 4.8	0046 2...	
鋼質、鍍鍍 4.8	0046 9...	
A2-70	0283...	
A4-70	0293...	
十字槽 Z		
鋼質、表面未處理 4.8	0046 11...	
鋼質、鍍藍鋅 4.8	0046 41...	
鋼質、鍍黃鋅 4.8	0046 3...	
鋼質、表面未處理 8.8		
鋼質、鍍藍鋅 8.8	0046 42...	
鋼質、鍍黃鋅 8.8	0046 32...	
鋼質、鍍鍍 4.8	0046 8...	
A2-70	0283 9...	
A4-70	0293 9...	

DIN 7989


Washers for steel constructions
鋼結構用高強度墊圈



級別 A	
鋼質、表面未處理	0449 9...
鋼質、鍍藍鋅	0449 99...
鋼質、鍍黃鋅	0449 999...
熱浸鍍鋅	0449 7...
級別 C	
鋼質、表面未處理	0449 0...
鋼質、鍍藍鋅	0449 ...
鋼質、鍍黃鋅	0449 00...
熱浸鍍鋅	0047 02...
A2	0409 914...
A4	0412 908...

DIN 7990

Hexagon bolts and nuts for steel structures
六角頭螺和六角螺帽



熱浸鍍鋅 4.6	0074...
----------	---------

DIN 7991

ISO 10642

Hexagon socket countersunk head screws
平頭內六角螺絲



鋼質、表面未處理 8.8	0087 0...
鋼質、鍍藍鋅 8.8	0087...
鋼質、鍍黃鋅 8.8	0087 7/9...
鋼質、表面未處理 10.9	0089...
鋼質、鍍藍鋅 10.9	0089 0...
鋼質、鍍黃鋅 10.9	0089 7/9...
A2-70	0100...
A4-70	0299...

DIN 7993

Round wire snap rings for bores
軸用扣環 圓鋼絲



鋼質、表面未處理(formA)	0490 00...
鋼質、表面未處理(formB)	0490 000...
A2 (form A)	0489 100 0...

DIN 8742
DIN 1475

Third length
centre grooved pin 槽銷(中心槽)



鋼質、表面未處理 (ISO)	0248 30...
DIN 1475	
鋼質、鍍藍鋅 (ISO)	0248 31...

DIN 8746
DIN 1476

Round head grooved pin
圓頭槽銷



鋼質、表面未處理	0248 70...
鋼質、鍍藍鋅	0248 71...
鋼質、鍍黃鋅	0248 72/73...
A2	0267 600...

DIN 8747
DIN 1477

Countersunk
head grooved pin
平頭槽銷



鋼質、表面未處理	0248 800...
鋼質、鍍藍鋅	0248 81...
鋼質、鍍黃鋅	0248 82...

ISO 8748
DIN 7344

Spiral pin heavy form
螺旋彈簧銷



鋼質、表面未處理	0475 8...
鋼質、鍍藍鋅	0475 8...、9...

ISO 8750
DIN 7343

Spiral pin
standard design
螺旋彈簧銷



鋼質、表面未處理	0475 0...
A2	0267 4...

ISO 8752
DIN 1481


Slotted spring pin
heavy form
溝槽彈簧插銷



鋼質、表面未處理	0475...
鋼質、鍍藍鋅	0475 0...
A2	0467...

DIN 9021
ISO 7093

Plain washers
大外徑墊圈



鋼質、表面未處理 140 HV	0417...
鋼質、鍍藍鋅 140 HV	0416...
鋼質、鍍黃鋅 140 HV	0416 0...
鋼質、黑色 140HV	0416 000...
黃銅、表面未處理	0418...
尼龍	0421 0...
A2	0419...
A4	0412 92...

ISO 13918

Weld stud
焊接螺栓



鋼質、鍍銅 4.8 (form PT)	4476...
A2 (form PT)	4477...

DIN EN 14399-4

Hexagon screws with high
strength structural bolt
高強度六角絲帽



鋼質、熱浸鍍鋅 10	0079 05...
------------	------------

DIN EN 14399-4


Hexagon nuts with high
strength structural bolt
高強度六角螺帽



鋼質、熱浸鍍鋅 10.9	0079 4...
--------------	-----------

DIN EN 14399-6


Washers
墊圈



鋼質、熱浸鍍鋅	0079 06...
---------	------------

ISO 14580


Hexagon socket head cap screws
有頭梅花穴螺絲



鋼質、表面未處理 8.8	4000 8...
鋼質、鍍藍鋅 8.8	4000 1...
鋼質、鍍黃鋅 8.8	4000 0...
鋼質、鍍藍鋅 10.9	4001 1...
A2-70	4002...

ISO 14583

hexagon pan head screws
盤頭梅花穴螺絲



鋼質、表面未處理 8.8	4004 8...
鋼質、鍍藍鋅 8.8	4004 1...
鋼質、鍍藍鋅 10.9	4005 1...
鋼質、鍍黃鋅 8.8	4004 0...
A2-70	4006...
A4-70	4007...

ISO 14584

hexagon raised countersunk head screws
六角半埋頭螺絲



鋼質、表面未處理 8.8	4008 8...
鋼質、鍍藍鋅 8.8	4008 1...
鋼質、鍍黃鋅 8.8	4008 0...

ISO 14585

Hexagon pan head tapping screws
盤頭梅花穴自攻螺絲



鋼質、鍍藍鋅 (form C)	4209 1...
鋼質、鍍藍鋅 (form F)	4210 1...
鋼質、黑色 (Form F)	4210 7...

ISO 14586

Hexagon countersunk flat head tapping screws
平頭內梅花自攻牙螺絲



鋼質、鍍藍鋅 (form C)	4202 1...
鋼質、鍍藍鋅 (form F)	4203 1...
A2-70 (form C)	4204...

EN 22341

Stud with head
帶頭螺柱



鋼質、表面未處理 (form A)	4412...
鋼質、鍍藍鋅 (form A)	4413...
鋼質、鍍黃鋅 (form A)	4414...
鋼質、表面未處理 (form B)	4415...
鋼質、鍍藍鋅 (form B)	4416...
鋼質、鍍黃鋅 (form B)	4417...

DIN 71412

Lubricating nipples
管嘴



鋼質、鍍藍鋅	0986...
--------	---------

DIN 71412


Lubricating nipples
管嘴



鋼質、鍍藍鋅	0986...
--------	---------

DIN 71751


Knuckle joint or steel fork head
Knuckle joint 鋼叉頭



鋼質、鍍藍鋅	0268 0...
--------	-----------

DIN 71752


Clevis
叉頭



鋼質、表面未處理	4401...
鋼質、表面未處理 LH	4404...
鋼質、鍍藍鋅	4402...
鋼質、鍍藍鋅 LH	4405...
鋼質、鍍黃鋅	4403...
鋼質、鍍黃鋅 LH	4406...

DIN 74361

Hexagon nuts high form
with collar
六角凸緣螺母



鋼質、表面未處理 limes ring	0444...
鋼質、表面未處理 A10	0360...
鋼質、鍍藍鋅 A8	0360 00...
鋼質、鍍藍鋅 B10	0361 00...
鋼質、鍍黃鋅 A10	0360 0...
鋼質、鍍黃鋅 B10	0361 0...

DIN 80705


Hexagon nuts
with small pattern hex nuts
六角小螺母



鋼質、表面未處理 14H	4451...
鋼質、黑色氧化 14H	4452...
鋼質、鍍藍鋅 14H	4453...
鋼質、鍍黃鋅 14H	4454...

DIN 82101

Shackles
卸扣



鋼質、鍍藍鋅	0523...
--------	---------

W-0071

Hexagon head screws
UNF/SAE
六角頭螺絲 UNF/SAE



鋼質、鍍藍鋅 Grade 5	0071...
----------------	---------

W-0072

Hexagon head
screws UNC/USS
六角頭螺絲 UNC/USS




鋼質、鍍藍鋅 Grade 5	0072...
----------------	---------

W-0111

**similar DIN 7981/
similar ISO 7050**

Self tapping screws
with **AW** recess
自攻螺絲 **AW**




鋼質、鍍藍鋅 (form C)	0111 2...
鋼質、Delta Seal	
黑色 (form C)	0111 3...
A2 (form C)	0119 99...
A4 淋幕式塗佈 (form C)	0127 5...

W-0125

**similar DIN 7982/
similar ISO 7050**

Self tapping screws
with **AW** recess
自攻螺絲 **AW**




鋼質、鍍藍鋅 (form C)	0112 5...
A2 (form C)	0123 9...

W-0112 3

**similar DIN 7983/
similar ISO 7051**

Self tapping screws
with **AW** recess
自攻螺絲 **AW**



鋼質、Delta Seal 黑色 (form C)	0112 3...
---------------------------	-----------

W-0138

Plastofast® raised head
screws with combi recess
Plastofast®
球面圓柱頭螺絲



鋼質、鍍藍鋅 combi	0138 10...
鋼質、鍍藍鋅 Z	0138 11...

W-0238

Gland with vulcanized sealing washer
密封螺絲
(軟質密封墊圈)



A2	0238 0...
A2 鍍銅	0238 5...
A2 varnished	0238 80...

W-0263

Hexagon flange screws
according to MBN 10105
六角頭法蘭面螺絲
依據 MBN 10105



鋼 DBL 9440.40 10.9	0263 1...
--------------------	-----------

W-0263

Prevailing hexagon flange nuts according to MBN 13023
六角頭法蘭面螺帽
依據 MBN 13023



鋼 DBL 9440.40 10	0263 91...
------------------	------------

W-0263/0273

Hexagon nuts with ripp flange
六角頭法蘭面螺帽



鋼質、表面未處理 100	0273 90...
鋼質、鍍黃鋅 10.9	0273 0...
Acero 鋅鍍	0263 21...
鋼質、Geomet® 321A+VL 100	0263 3...
鋼質、鍍黃鋅 100	0273...

W-0263/0273


Hexagon nuts with ripp flange
六角頭法蘭面螺帽



鋼質、表面未處理 10	0273 9...
鋼質、鍍黃鋅 10	0273...
鋅鍍鋼 10	0263 92...
鋼質、Geomet® 321A+ VL 10	0263 93...

W-0265

Security screws with recess
AW and sealing plug
安全螺絲 AW



公制螺紋	
鋼質、鍍藍鋅	0265 1...
銷螺紋	
鋼質、鍍藍鋅	0265 2...
鋼質、Ruspert	0265 02...
A2	0265 5...
木螺紋	
鋼質、鍍藍鋅	0265 3...
鋼質、Ruspert	0265 03...
盤頭木螺紋	
鋼質、鍍藍鋅	0265 7...

W-0274


Hexagon head lock screws
六角防鬆螺絲



鋼質、鍍藍鋅 8.8	0274 0...
鋼質、鍍黃鋅 8.8	0274...

W-0284

Tamper-proof security screws with torx and pin
安全螺絲



沉頭自攻螺絲	
A2-70 盤頭自攻螺絲	0284 01...
A2 70 六角螺絲公制	0284 02...
沉頭 A2 70 公制螺絲	0284 0...
大圓頭 A2 70	0284...
木螺絲 A2	0284 9...

W-0330

Hexagon nuts
UNC/USS
六角螺母 UNC/USS



鋼質、鍍藍鋅 8	0330...
----------	---------

W-0331

Hexagon nuts
UNF/SAE
六角螺母 UNF/SAE



鋼質、鍍藍鋅 8	0331...
----------	---------

W-0394
Locking nuts
防鬆螺帽




鋼質、鍍藍鋅 8	0394 0...
鋼質、鍍黃鋅 8	0394...
A2	0387 000 0...

W-0401
Safety washers
安全墊圈



安全墊圈	
鋼質、Geomet® (form K)	0401 000...
鋼質、Geomet® (form M)	0401...
鋼質、Geomet® (form S)	0401 000 1...
鋼質、Geomet® (form Z)	0401 0...
A4 (form M)	0404...
A4 (form K)	0404 903...
A4 (form B)	0404 902...
A4 (form S)	0404 901...
A4 (form Z)	0404 0

W-0401
Self locking ring
止動墊圈



止動墊圈	
鋼質、表面未處理(form VSK)	0401 701...
鋼質、機械鍍 (form VSK)	0401 721...
鋼質、Geomet® (form VSK)	0401 771...
鋼質、表面未處理(form VSKZ)	0401 703...
鋼質、鍍藍鋅 (form VSKZ)	0401 713...
鋼質、機械鍍 (form VSKZ)	0401 723...
鋼質、Geomet® (form VSKZ)	0401 772...
A2 (form VSKD)	0404 700...

W-0401/W-0404
Tapered washers
錐形墊圈



鋼質、Delta Protect	0401 780 0...
鋼質、Delta Protect (form F)	0401 770 0...
A4 (form SP)	0404 701 1...

WW-0411
Plain washers
平墊圈




鋼質、鍍藍鋅	0411...
鋼質、鍍黃鋅	0411 0...

W-0493/W-0404
Safety washers type S
S型自鎖華司



鋼質、表面未處理 (form S)	0493...
鋼質、表面未處理 (form VS)	0493 9...
鋼質、鍍藍鋅 (form S)	0493 0...
鋼質、鍍藍鋅 (form VS)	0493 90...
鋼質、鍍黃鋅 (form S)	0493 00...
鋼質、鍍黃鋅 (form VS)	0493 99...
鋼質、mechn.vz (form S)	0493 0...
鋼質、Geomet® 500B (form S)	0493 70...
鋼質、Geomet® 321B (form VS)	0493 700...
鋼質、Geomet® 500B (form VS)	0493 700 0
鋼質、Dacromet® 300 (form VS)	0493 900...
鋼質、Dacromet® 500 (form S)	0493 909...
鋼質、Dacromet® 500 (form VS)	0493 900 0
A2 (form S)	0404 80...
A2 (form VS)	0404 800...

W-0974
Spacer socket
間距管



六角	
鋼質、鍍藍鋅	0974...
圓形	
鋼質、鍍藍鋅	0974 0...

W-0200/W-0201
Facade construction
screws
六角突緣帽型
自攻螺釘



type A	
鋼質、鍍藍鋅	0200 065..
A2	0201...
type BZ	
鋼質、鍍藍鋅	0200 63...
A2	0201...

W-0205

ZEBRA®pias®
raised countersunk
head drilling screws
with recess **AW**
ZEBRA®pias®
半沉頭自攻螺 **AW**



沉頭	
鋼質、鍍藍鋅	0205 7...
A2	0205 8...
半沉頭	
鋼質、鍍藍鋅	0205...
A2	0205 1...

W-0206

ZEBRA®pias® /piasta®
raised head drilling screws
with recess **AW**
ZEBRA®pias® /piasta®
內六角平圓頭自鑽螺絲



ZEBRA®pias® 鋼質、鍍藍鋅	0206...
A2	0206 1...
ZEBRA®pias® Bimetal, Ruspert	0206 8...

W-0207

Self drilling screws
with pan head and recess **AW**
盤頭自攻螺絲 **AW**



鋼質、鍍藍鋅	0207 02...
--------	------------

W-0214

Hexagon self drilling screws
ZEBRA®pias®/piasta®
with collar (sim. DIN 7504 K)
六角法蘭自鑽螺絲
ZEBRA®pias®/piasta®
(sim. DIN 7504 K)



PIAS	
鋼質、鍍藍鋅	0214...
鋼質、鍍藍鋅 開槽	0214 04...
鋼質、鍍藍鋅 (減少鑽尾部分)	0214 248...
鋼質、鍍藍鋅 (加長鑽尾部分)	0214 055...
A2	0214 1...
PIASTA Bimetal Ruspert	0214 8...
Bimetal Ruspert (減少鑽尾部分)	0214 8...
鋼質、鍍藍鋅 (加長鑽尾部分)	0214 8...

W-0215

ZEBRA® wing piast®
countersunk cut head
and recess **AW**
ZEBRA® piast®
沉頭 **AW**



Bimetal, Ruspert	0215...
------------------	---------

W-0217

ZEBRA® wing piast®
(roof constructions)
ZEBRA® piast® 帶翼鑽頭螺絲
(屋頂結構)



PIAS	
鋼質、Ruspert	0217 1...
鋼質、Dacromet® 500	0217 2...

W-0218

ZEBRA® piast® self drilling
raised head flange screws
with recess **AW**
ZEBRA® piast®
自攻沉頭法蘭面螺絲 **AW**



recess AW	
鋼質、鍍藍鋅	0218 1...
鋼質、Delta Seal 黑色	0218 7...
recess H	
鋼質、鍍藍鋅	0218...
鋼質、黑色	0218 2...

W-0219

ZEBRA® wing-piast®
self drilling countersunk screws
with recess **AW**
ZEBRA® piast® 帶翼
星型平頭防滑自鑽螺絲



鋼質、Ruspert	0219 7...
with milled ribs 鋼質、Ruspert	0219 00...
鋼質、鍍黃鋅	0219 11...
鋼質、Ruspert (small head)	0219 8...
鋼質、Ruspert (large head)	0219 6...
沉頭、鋼質、Ruspert	0219 0/9...

標準型拉釘

Standard rivets

rivet, mushroom head

菌形頭拉釘



頭部: 鋼質、鍍藍鋅	0935...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	0936/0937...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	0937 7...
釘部: 鋁質、表面未處理	
頭部: 鋁質、表面未處理	0939...
釘部: 不鏽鋼 A2	
頭部: 鋼	0940...
釘部: 鋼質、鍍藍鋅	
頭部: 鋼	0941...
釘部: 青銅質	
頭部: 不鏽鋼 A2	0931...
釘部: 不鏽鋼 A2	

標準型拉釘

Standard rivets

rivet, large snap head

大頭拉釘



頭部: 鋁質、表面未處理	0944...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、schw.varnished	0936 1...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	0939 15...
釘部: 不鏽鋼A2	

標準型拉釘

Standard rivets

rivet with countersunk head

沉頭拉釘



頭部: 鋁質、表面未處理	0938...
釘部: 鋼質、鍍藍鋅	

ZEBRA® 中強度拉釘

Middle strength rivets

ZEBRA® all purpose rivet with mushroom head

菌形頭拉釘




頭部: 鋼質、鍍藍鋅	0916...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	0915 5/30...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、白色varnished	0915 58...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、黑色eloxiert	0915 59...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、咖啡色varnished	0915 7...
釘部: 不鏽鋼 A2	
頭部: 鋁質、weiss varnished	0915 77...
釘部: 不鏽鋼 A2	
頭部: 鋁質、表面未處理	0914..
釘部: 不鏽鋼A2	

ZEBRA® 中強度拉釘

Middle strength rivets

ZEBRA® All purpose rivet with large snap head

大頭拉釘



頭部: 鋁質、表面未處理	0915 048...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	0915 148...
釘部: A2	
頭部: 鋁質、黑色氧化	0915 9...
釘部: 鋼質、鍍藍鋅	

ZEBRA® 高強度拉釘

High strength rivets

ZEBRA® rivet with mushroom head


菌形頭拉釘



頭部: 鋼質、鍍藍鋅	0913 2...
釘部: 鋼質、鍍藍鋅	
頭部: A2	0913
釘部: A2	

ZEBRA®高強度拉釘


High strength rivets
ZEBRA® rivet with
mushroom head
菌形頭拉釘



頭部: 鋼質、鍍藍鋅	0913 9...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	0913 8...
釘部: 鋁質、表面未處理	

Monobolt 高強度拉釘

High strength rivets
Monobolt high strength rivet
with mushroom head
菌形頭拉釘



頭部: 鋼質、鍍藍鋅	0921 65...
釘部: 鋼質、鍍藍鋅	
頭部: 鋁質、表面未處理	09210...
釘部: 鋁質、表面未處理	
頭部: A2	0921...
釘部: A2	

拉釘

Special rivets Closed-end
blind rivet with dome head
封閉型抽芯鉚釘
球面



頭部: 鋁質、表面未處理	0937 0...
釘部: 鋼質、表面未處理	
頭部: 鋁質、表面未處理	0937 1...
釘部: A2	
頭部: 鋼	0940 0...
釘部: 鋼質、表面未處理	
頭部: 鋼	0940 1...
釘部: A2	
頭部: A2	0937 11...
釘部: A2	

拉釘

Special rivets Closed-end
blind rivet with countersunk
head 120°
封閉型抽芯鉚釘
沉頭 120°



頭部: 鋁質、表面未處理	0937 2...
釘部: 鋼質、表面未處理	

拉釘

Special rivets
Grooved pop rivet,
mushroom head
溝槽型抽芯
菌形頭



頭部: 鋁質、表面未處理	0937 9...
釘部: 鋼質、鍍藍鋅	

ZEBRA® 拉釘

Special rivets
ZEBRA® all purpose rivet
with mushroom head
菌形頭 鋁合金拉釘



頭部: 鋁質、表面未處理	0914 0...
釘部: 鋁質、表面未處理	

拉釘

Special rivets
Soft claw rivet



頭部: 鋁質、表面未處理	0937 00...
釘部: 鋼質、鍍藍鋅	

ZEBRA® 自攻拉釘

Special rivets ZEBRA® pias
self drilling rivet
特殊型拉釘 ZEBRA® pias
自攻拉釘



頭部: 鋁質、表面未處理	0915 6...
釘部: 鋼質、鍍藍鋅	

ZEBRA® 拉帽


Rivet nuts ZEBRA® rivet nuts
with small countersunk head
沉頭拉帽



不鏽鋼 A2	0942 1...
Zebra	
鋼質、鍍藍鋅	0917...

ZEBRA® 拉帽


Rivet nuts ZEBRA® rivet nuts with knurled shaft
沉頭拉帽



鋼質、鍍藍鋅	0948 20 0/22 0...
鋁質、表面未處理	0948 20/22...
不鏽鋼A2	0942 10/20...
Zebra	
鋼質、鍍藍鋅	0917 2...

ZEBRA® 拉帽


Rivet nuts ZEBRA® rivet nuts with countersunk head and knurled shaft
沉頭滾花拉帽



鋼質、鍍藍鋅	0948 32 0...
鋁質、表面未處理	0948 32...
不鏽鋼 A2	0942 10 0...

ZEBRA® 拉帽

Rivet nuts ZEBRA® rivet nuts with small and knurled shaft
滾花拉帽



鋼質、鍍藍鋅	0917 7...
--------	-----------

拉帽

Rivet nuts with small countersunk head
沉頭拉帽



鋼質、鍍藍鋅	0948 7...
--------	-----------

ASSY® 3

Pan head ASSY chipboard screws, half and full threaded with recess AW
盤頭塑板螺絲 AW
(全螺紋/半螺紋)



全螺紋	
鋼質、鍍藍鋅	0153 0...
A2	0180 4...
半螺紋	
鋼質、鍍藍鋅	0153 1...
A2	0180 5...



ASSY® 3


back panel screws large head, recess AW
大盤頭螺絲 AW



鋼質、鍍藍鋅	0167 1...
--------	-----------

ASSY® 3

ASSY Screws with small countersunk head and recess AW
沉頭螺絲 AW



鋼質、鍍藍鋅	0168 33...
鋼質、鍍黃銅	0168 13...

ECOFAST ASSY® 3

Ecofast ASSY with cutter head and recess AW
Ecofast 螺絲
ASSY 帶切削邊 AW



全螺紋	
鋼質、鍍藍鋅	0170 0...
鋼質、鍍黃鋅	0170 2...
A2	0180 0...
半螺紋	
鋼質、鍍藍鋅	0170 1...
鋼質、鍍黃鋅	0170 3...
A2	0180 1...
Drilled head	
鋼質、鍍藍鋅	0162 2...
HB	
鋼質、鍍黃鋅	0170 6...

ASSY® 3 Komb

ASSY screws with hexagon head and recess AW
ASSY 六角頭螺絲 AW



鋼質、鍍藍鋅	0184 20...
--------	------------

ASSY® 3

ASSY screws with large flanged head and recess AW
ASSY 大法蘭面螺絲 AW



鋼質、鍍黃鋅	0184 8...
--------	-----------

ASSY® plus

ASSY screws,
countersunk head full
threaded with recess **AW**
ASSY 沉頭螺絲 (全螺紋) **AW**



鋼質、鍍藍鋅	0165 013...
鋼質、鍍黃鋅	0165 023...

ASSY® plus

ASSY screws,
countersunk with
cutter head and recess **AW**
ASSY 沉頭螺絲帶切削邊 **AW**



半螺紋	
鋼質、鍍藍鋅	0165 1...
鋼質、鍍黃鋅	0165 2...
A2	0166 1...
帶鑽頭	
鋼質、鍍藍鋅	0165 945...

ASSY® plus


small countersunk with
cutter head and recess **AW**
ASSY 沉頭螺絲帶切削邊 **AW**



全螺紋	
鋼質、鍍黃鋅	0165 06...

ASSY® plus


ASSY screws,
raised countersunk with
cutter head and recess **AW**
ASSY 半沉頭螺絲帶切削邊 **AW**



半螺紋	
鋼質、鍍黃鋅	0165 813...
鋼質、鍍黃銅	0165 823...
鋼質、黑色氧化	0165 833...
鋼質、whitely varnished	0165 843...
鋼質、鍍鍍	0165 853...
A2	0166 10...

ASSY® 3


ASSY screws with countersunk
head and recess **AW**
ASSY 沉頭螺絲 **AW**



全螺紋	
鋼質、鍍藍鋅	0170 0...
鋼質、鍍黃鋅	0170 2...
A2	0180 0...
半螺紋	
鋼質、鍍藍鋅	0170 1...
鋼質、鍍黃鋅	0170 3...
A2	0180 1...

ASSY® 3


ASSY screws with raised
countersunk head
ASSY 半沉頭螺絲



全螺紋	
鋼質、鍍藍鋅	0154 0...
鋼質、鍍黃鋅	0154 2...
鋼質、鍍鍍	0154 3...
鋼質、鍍黃銅	0154 4...
A2	0180 2...
半螺紋	
A2	0180 3...

安卡/錨 **AW**

D/F Anchor with zero
potential and recess **AW**



鋼質、鍍藍鋅	0233 1...
--------	-----------

AMO® III-screws 7,5 mm (type 1)

AMO III screws Ø 12 mm
type 1 with countersunk
cutter head and recess **AW**
AMO III 沉頭帶翼螺絲
Ø 12 mm **AW**




型號 1

鋼質、鍍藍鋅	0234 730...
鋼質、鍍黃鋅	0234 13...

AMO® III-screws 7,5 mm (type 2)

AMO III screws
type 2 with flat head and recess **AW**
AMO III 大平頭螺絲
type 2 **AW**



type 2
尺寸：頭
7,5 mm



鋼質、鍍藍鋅	0234 825...
鋼質、鍍黃鋅	0234 225...

尺寸：頭
8,0 mm

鋼質、鍍藍鋅	0234 830...
鋼質、鍍黃鋅	0234 230...

AMO® III- screws 7,5 mm (type 3)

AMO III screws with large pan head and recess **AW**
AMO III 大盤頭螺絲 **AW**



type 3



鋼質、鍍藍鋅	0234 930...
鋼質、鍍黃鋅	0234 330...

AMO® III-screws 11,5 mm

Amo III Ø 11,5 mm
headless and with recess **AW**
Amo III Ø 11,5 mm 無頭螺絲 **AW**



鋼質、鍍藍鋅	0234 840 1...
鋼質、鍍黃鋅	0234 115 1...

Jamo® screws

with countersunk cutter head and drilling bit and recess **AW**;
wood wood,concrete
沉頭帶翼自攻螺絲 **AW** (木工、水泥)



鋼質、鍍藍鋅	0234 563...
--------	-------------

Jamo® plus screws

with countersunk cutter head and drilling bit and recess **AW**;
wood wood
沉頭帶翼自攻螺絲 **AW**(木工)



鋼質、鍍藍鋅	0234 464...
--------	-------------

Master 尼龍錨栓

nylon dowel
尼龍錨栓



尼龍 (Nylon)	0903...
------------	---------

ZEBRA® 塑膠安卡錨栓

W ZX Shark
W ZX 塑膠安卡錨



尼龍 (Nylon)	0906...
------------	---------

線束(膠舌)


Cable ties
with synthetic tongue



尼龍 6.6 ecro	0502 1...
尼龍 6.6 black	0502 2...

線束(膠舌)

Cable ties
with metal tongue



尼龍 6.6 ecro	0502 2...
尼龍 6.6 black	0502 21...

線束

Reusable
cable tiese



尼龍 6.6 ecro	0502 300 4...
尼龍 6.6 black	0502 300 43...

端子系列


Cable end sleeve



絕緣端子	0557...
端子	0557 1...

端子插座


Eyelet



鍍錫焊端子	0967 6...
連結套管	0967 3...
壓接端子	
絕緣端子 環狀	0967 400...
絕緣端子 叉型	0967 40...
絕緣端子棒型	0967 402...
絕緣端子 薄叉型	0967 403...

線材固定套

Cable screws connection



公制	
尼龍 RAL 7035	0967 70...
黃銅、鍍鎳	0967 7...
PG	
尼龍 RAL 7035	0967 8...
黃銅、鍍鎳	0968 82...

埋頭螺母

Counter nuts



公制	
尼龍 RAL 7035	0967 710...
黃銅、鍍鎳	0967 770...
PG	
尼龍 RAL 7035	0967 85...
黃銅、鍍鎳	0967 84...

塑膠塞/罩

Plastic plugs



蓋罩 GPN 1000	0598 1...
安全防護罩 GPN 200	0598 2...
密封塞 GPN 250	0598 25...
密封塞 GPN 255	0598 55...
方形塞 GPN 260 Q	0598 26...
方形塞 GPN 270 R	0598 27...
端帽 GPN 280	0598 280...
密封塞 GPN 290	0598 290...
密封塞 GPN 310	0598 310...
握帽 GPN 315	0598 315...
ribbed insert GPN 320	0598 320...
握帽 GPN 330	0598 330...
握帽 GPN 340	0598 240...
密封塞 GPN 350	0598 350...
密封塞 GPN 300	0598 387...
錐形塞 GPN 500	0598 500...
密封塞 GPN 550	0598 550...
錐形塞 GPN 600	0598 60...
密封塞 GPN 610	0598 610...

塑膠塞/罩

Plastic plugs



密封塞 GPN 620	0598 62...
錐形塞 GPN 605	0598 64...
凸緣塞 GPN 650	0598 65...
凸緣塞 GPN 670	0598 67...
凸緣塞 GPN 680	0598 68...
保護帽 GPN 690	0598 69...
螺紋塞 GPN 700	0598 70...
螺紋塞 GPN 710	0598 710...
螺絲帽 GPN 730	0598 730...
機械密封塞 GPN 735	0598 735...
螺絲蓋罩 GPN 800	0598 800...
螺絲蓋罩 GPN 801	0598 801...
密封塞 GPN 900	0598 900...
蓋罩 GPN 910	0598 91...
密封塞 GPN 950	
保護帽 GPN 970	0598 97...
保護帽 GPN 980	0598 98...
保護帽 GPN 985	0598 985...

管夾


Pipe clamp



weld plate 3015/1	0599 01...
cover plate 3015/1	0599 018...
weld plate 3015/2	0599 02...
cover plate 3015/2	0599 027...
securing plate 3015/2	0599 029...
weld plate 3015/3	0599 03...
cover plate 3015/3	0599 034...
clamp body 3015/1	0599 11...
clamp body 3015/2	0599 2...
clamp body 3015/3	0599 3...
mounting clamp	0599 5...
measuring connection	0599 81...
measuring hoses	0599 84...

管夾

Pipe clamp



TIPP Priopres	0543 166...
TIPP Priopress KST	0543 167...
TIPP Basic GS A4	0865 066...
TIPP FWR A4	0865 210...
TIPP Basic GS	0543 066...
TIPP Basic ZS	0543 200...
TIPP Classic	0543 205...
TIPP Classic Silicone	0543 206...
TIPP Robust	0543 210...
TIPP Robust silicone	0543 211...
TIPP Compact	0543 055...
TIPP Massive	0543 215...
TIPP AERO	0543 800...

托架夾

Bracket clamp



鋼質、鍍藍鋅 (單支架)	0592 900...
鋼質、鍍藍鋅 (雙支架)	0592 901...
鋼質、鍍藍鋅 (雙鎖點)	0592 902...

配件

Fittings



水管配件 (鋼質、熱浸鍍鋅)	4993...
水管配件 (鋼質、表面未處理)	4993...

福士股份有限公司
Würth Taiwan Co., Ltd.

新北市林口區工二工業區工九路23-1號

Tel : 02-2601-7701

Fax : 02-2601-7702

Web : <http://www.wurth.com.tw>

版權(著作權)聲明 本公司保留一切法律權利